

Windows and Doors Products

**WINDOWS | DOORS | ROOFLIGHTS
FINISHINGS | HARDWARE**



eurocell

Ask in branch for exclusive trade deals



Features & Benefits

 <p>Outstanding technical performance</p>	 <p>Fast, accurate fabrication and installation</p>	 <p>Superb energy efficiency performance</p>	 <p>U-values as low as 0.9*</p>
 <p>BBA certified system</p>	 <p>Market-leading sustainability</p>	 <p>Wide range of colour and style options</p>	 <p>10-year guarantee for peace of mind</p>

* Lower U-values are achievable with Krypton gas.



Ovolo



Chamfered




Flush Sash

The Logik profile system combines leading energy efficiency performance and aesthetics with ease of use, for the ultimate system.

Available in chamfered, flush or ovolo styles as:

- Standard casement
- Flush casement
- Tilt and Turn
- French windows
- Residential doors
- French doors

Frame colours from stock

							
WHITE White interior	CREAM WHITE† White interior	WHITE ASH† White interior	WHITE ASH† White Ash interior	AGATE GREY† White interior	ANTHRACITE GREY White interior	ANTHRACITE GREY Grey interior	SLATE GREY** White interior
							
BLACK ASH White interior	IRISH OAK† White interior	IRISH OAK† Irish Oak interior	GOLDEN OAK White interior	GOLDEN OAK Golden Oak interior	ROSEWOOD† White interior	ROSEWOOD† Rosewood interior	CHARTWELL GREEN White interior
			32 Additional colours and specifications are made to order on extended lead times				
DARK RED‡† White interior	BLUE‡† White interior	OLIVE GREEN‡† White interior	† Ovolo only ** Chamfered only ° Door frame only Note: grey base product features cool colours foil				

Window finishing

Contents

Cavity closers	14
Overhead vent	18
Glass & bridge packers	19
Window cills & accessories	20
Cill repair covers	24
Bow window accessories	25
Window boards	26
Finishing trims	28
Cosmetic repairs	31

From cavity closers to trims to window boards, our window finishing range allows you to get the perfect finish – for every job!

- **Cavity closers**
Close cavities quickly and effectively with our range of Cavalok closers, whilst improving thermal efficiency for homeowners - find out more on page 14
- **Intelligent 150mm cill**
The 150mm cill system has the flexibility to create larger sizes (up to 225mm) and accommodate project tolerance discrepancies through the use of various trims - find out more on page 20
- **Laminated window boards**
These scratch-resistant boards add the finishing touch to your window installation - find out more on page 26



Cavity closers



Intelligent cills



Laminated window boards

cavity closer

A cavity closer is an energy-efficient aperture former which enables brick courses to be completed and creates an Air-tight receiver for windows and doors



cavalok

Cavalok products are made from
100% recycled PVC-U


Benefits

- Provides a damp proof course
- Simplifies brickwork - no return bricks needed
- Provides thermal break
- Stops cold bridging which can cause condensation to form inside the opening damaging internal decoration and plasterwork
- Improves heat loss at the window junction, reducing CO₂ emissions
- Meets Accredited Construction Details regulation designed to improve the heat loss at junctions
- Meets needs of Part L of the Building Regulations

Which Product Is Right For You?

Cavalok Universal Cavity Closer

- For cavity sizes 50-100mm
- Use for new build projects
- Cavity closer is assembled into a window template
- Ensures window manufacturer can produce to correct sizes without repeated surveying - saving time and money by reducing rework or snagging
- Easy to install, use with standard plastic ties to fix into coursework as you build



Cavalok Big Blok Cavity Closer

- For cavity sizes 125-300mm
- Use for new build projects
- Cavity closer is assembled into a window template
- Super-insulating, specially designed to meet the Code for Sustainable Homes
- Easy to install, use with standard plastic ties to fix into coursework as you build



*MTO - Max 150mm from stock.

GET A TRADE ACCOUNT TODAY

ASK IN BRANCH FOR MORE DETAILS



over 6000
products
in branch



200+ branches
nationwide



Trade credit
available*



Dedicated
account manager



Exclusive trade
account pricing



Online trade
account

* Trade accounts are subject to T&Cs and acceptance.



LOOKING FOR FABRICATED CAVITY CLOSERS? CALL US NOW 0800 988 3047

IDEAL FOR REFURBISHMENT PROJECTS

Slotted design allows you to cut down the product to fit your cavity width

Just one product to hold in stock or in the van, no assembly required

Punched flange for easy fixing

Easy way to improve the damp proof course when replacing a window

For Cavity Sizes 50 - 100mm

Cavity Closer Sections


Trade closer



- This is a stand alone product - no extra components or assembly required!
- Suitable for applications between 50mm and 100mm

Code	Qty
MCBP TDR 100 HOR	10 pack

Window fixing strap



Code	Qty
CBPSTF7U2E	250 pack

Big Blok closer



125mm closer (insulated)

Code	Size
MCBP 125 HOR 48	4 x 4.8m

150mm closer (insulated)

Code	Qty
MCBP 150 HOR 48	4 pack

Universal closer



125mm closer (insulated)

Code	Qty
MCBP 050 HOR 48	6 pack

75mm closer (insulated)

Code	Qty
MCBP 075 HOR 48	6 pack

100mm closer (insulated)

Code	Qty
MCBP 100 HOR 48	6 pack

Frame Forming Corners



50mm	
Code	Qty
CBP CAV 50 MOU	100/box
75mm, 90mm, 100mm	
Code	Qty
CBP CAV 75 MOU 13	100/box




For use on all 125mm - 300mm cavity closers	
Code	Qty
CBP BB MOU	200/box



For use on all 125mm - 300mm cavity closers	
Code	Qty
CBP BBS FIL	50 pack

Frame Forming Bracing

Brace bar



For use with both Cavalok and Big Blok closer

Code	Qty
MCBP CAV BR BOX	60 pack

Brace boot




For use with both Cavalok and Big Blok closer

Code	Qty
CBP BOOT 14	100/box


Frame Installation

Brick ties



For use with both Cavalok and Big Blok closer

Code	Qty
CBP BB TIE	1000/box



Universal head vent		
Code	Foil	Stock/MTO
EWS137W	N/A	STOCK
EWS137WGY1LF	Anthracite Grey LF	STOCK
EWS137WGY2SLF	Smooth Slate Grey LF	STOCK
EWS137WROLF	Rosewood LF	MTO
EWS137WOLF	Golden Oak LF	MTO
EWS137WGY2LF	Slate Grey LF	MTO
EWS137WGY1SLF	Smooth Anthracite Grey LF	MTO
EWS137WYLF	Black Ash LF	MTO
EWS137WT1LF	Chartwell Green LF	MTO
EWS137WCR1LF	Cream White LF	MTO
EWS137WZBF	White Ash BF	MTO

Designed to be used with frames with a front to back dimension of up to 80mm.

On the inside the vent has a square box detail which allows the head of the reveal to be double boarded without obstructing the ventilation path.

Head vent spacer		
Code	Foil	Qty
VSW105W	N/A	Pack of 50

Trickle Ventilation



Trim vent and canopy		
Code	Size	Qty
TS VENT	XS 4400 EA ventilator (screw fix)	50 pack

COLOUR OPTIONS



WH WHITE



C CARAMEL



BR BROWN

Glass & Bridge Packers



Bridge packers		
Code	Size	Qty
BRP283	100 x 28 x 3mm	1000 pk
BRP325	100 x 32 x 5mm	1000 pk

24mm glass packers		
Code	Size	Qty
PP24GP100	Mixed bag	100 pk
FL24F200	1-6mm mixed	200 pk

28mm glass packers		
Code	Size	Qty
FLWH28	100 x 28 x 1mm	1000 pk
FLBU28	100 x 28 x 2mm	1000 pk
FLRE28	100 x 28 x 3mm	1000 pk
FLYE28	100 x 28 x 4mm	1000 pk
FLGN28	100 x 28 x 5mm	1000 pk
FLBL28	100 x 28 x 6mm	1000 pk
PP28GP100	Mixed bag	100 pk
FL28FP200	1-6mm mixed	200 pk
FL28FP300	1-6mm mixed	300 pk

30mm glass packers		
Code	Size	Qty
FLRE30	100 x 30 x 3mm	1000 pk
FLGN30	100 x 30 x 5mm	1000 pk

32mm glass packers		
Code	Size	Qty
FLWH32	100 x 32 x 1mm	1000 pk
FLBU32	100 x 32 x 2mm	1000 pk
FLRE32	100 x 32 x 3mm	1000 pk
FLYE32	100 x 32 x 4mm	1000 pk
FLGN32	100 x 32 x 5mm	1000 pk
FLBL32	100 x 32 x 6mm	1000 pk
FL32FP200	1-6mm mixed	200 pk

Window Cills & Accessories



INTELLIGENT 150MM CILL SYSTEM

The cill provides solutions to issues commonly found on site

Allows flexibility to create larger sizes

Accommodates project tolerance discrepancies through the use of cill extender and frame extension trims

150mm A-type cill and end caps

Cill
Code
AC150
Colour options:
7016 / WY / CR / WCR1 / WO / WLO1 / CO / RO / 64 / WZ
End caps
Code
ECA 150
Colour options:
7016 / BK / B / BB / CO / CR / WCR1 / WG / O / 64

Combinations




CILL WITH EXTENDER
See EWS 118 (below)



CILL WITH 25mm EXTENDER TRIM
See EWS 106 (below)



CILL WITH 10mm EXTENDER TRIM
See EWS 136 (below)



85mm A-type cill and end caps

Cill	End caps
Code	Code
AS 85	ECA 85
Colour options:	Colour options:
WGY15S / 7016 / WY / CR / WCR1 / WO / WLO1 / CO / RO / 64 / WZ	CO / CR / WG / O / 64




125mm A-type cill and end caps

Cill	End caps
Code	Code
AC125	ECA 125
Colour options:	Colour options:
WGY15S / 7016 / CR / WCR1 / 7015 / 64	7016 / B / CO / CR / WCR1 / 7015 / 64



180mm A-type cill and end caps

Cill	End caps
Code	Code
AC180	ECA 180
Colour options:	Colour options:
WY / CR / WO / WLO1 / CO / RO / 64	7016 / BK / B / BB / CO / CR / WCR1 / WG / O / 64



225mm A-type cill and end caps



Cill	End caps
Code	Code
AC 225	ECA 225
Colour options:	Colour options:
WGY15S / CR / RO / 7015 / 64 / WZ	7016 / B / CO / RO / 7015 / 64




See page 22 for colour swatches

Window Cills & Accessories

Colour Options





DAMAGED CILL REPLACEMENT


Quick repair of a damaged existing cill without the costly removal and replacement of the existing cill.

Extruded to fit AC225 perfectly it is trimmable to fit AC125, AC150 & AC180 by simply cutting down the extruded "V" on the underside of the cill.

Cill cover repair				
Code	Size	Qty	Colour	
			Base	Foil
EWS119W	5m x 3.7m	5 pack	white	N/A
EWS119WO	5m x 3.7m	5 pack	white	Golden Oak
EWS119WRO	5m x 3.7m	5 pack	white	Rosewood
EWS119WGY1	5m x 3.7m	5 pack	white	Anthracite Grey

PERFECT PARTNER

With **SOUDALL SUPERGLUE** and **SOUDALL ACTIVATOR**.



CREATE A PRESTIGIOUS LOOK WITH CANOPIES AND BASE UNITS FOR BOW WINDOWS

CANOPY

BASE UNIT

Bow canopies

- Quick and easy installation
- One piece leak-proof moulding
- Available with lead-look top
- Made from strong rigid fibreglass
- Maintenance-free

Standard

Code	Size	Qty
BC 18	1.8m	1 pack
BC 24	2.4m	1 pack

Foam filled

Code	Size	Qty
BC 18 FF	1.8m	1 pack
BC 24 FF	2.4m	1 pack

Bow units

- Quick and easy installation
- Fully moulded GRP base unit including attached gallows bracket
- Made from strong rigid fibreglass giving a firm foundation for a bow window

Standard

Code	Size	Qty
BA18 MK1	1.8m	1 pack
BA18 MK1	2.4m	1 pack

Gallows brackets



Code	Size
GB 7.5	7.5"
GB 10	10"
GB 713	2.4m

COLOUR OPTIONS



WH WHITE

BR BROWN

O OAK